



RNS FOOTWEAR PVT. LTD.

MANUFACTURERS & EXPORTERS

marketing@rnssafety.com
www.rnssafety.com

Article No: 701



Product Title: Impact Low Ankle

Size: 39 to 47

Upper Material: Synthetic Leather Upper (Water Repellent)

Lining: Sweat Absorbing Skin-fit Lining

Closure Type: Lace Up

In Socks: EVA

Sole: Mono Density Polyvinyl Chloride (PVC) Sole

Toe Type: Steel Toe 200J Impact Resistance(As Per EN ISO 20345:2011)

Penetration Protection: Steel Mid Plate 15KN Penetration Resistance (As Per EN ISO 20345:2011)

Heat Resistant: Up to 120° C

Article No: 702



Product Title: Impact High Ankle

Size: 39 to 47

Upper Material: Synthetic Leather Upper (Water Repellent)

Lining: Sweat Absorbing Skin-fit Lining

Closure Type: Lace Up

In Socks: EVA

Sole: Mono Density Polyvinyl Chloride (PVC) Sole

Toe Type: Steel Toe 200J Impact Resistance(As Per EN ISO 20345:2011)

Penetration Protection: Steel Mid Plate 15KN Penetration Resistance (As Per EN ISO 20345:2011)

Heat Resistant: Up to 120° C

Article No: 941



Product Title: Unicore Low Ankle

Size: 39 to 47

Upper Material: 100% Genuine Buff Leather

Lining: Sweat Absorbing Cambrelle Lining

Closure Type: Lace Up

In Socks: EVA

Sole: Polyurethane Mono Density (As Per SRA, SRB and SRC)

Toe Type: Steel Toe 200J Impact Resistance(As Per EN ISO 20345:2011)

Penetration Protection: Steel Mid Plate 15KN Penetration Resistance (As Per EN ISO 20345:2011)

Heat Resistant: Up to 120° C

Article No: 942



Product Title: Unicore High Ankle

Size: 39 to 47

Upper Material: 100% Genuine Buff Leather

Lining: Sweat Absorbing Cambrelle Lining

Closure Type: Lace Up

In Socks: EVA

Sole: Polyurethane Mono Density (As Per SRA, SRB and SRC)

Toe Type: Steel Toe 200J Impact Resistance(As Per EN ISO 20345:2011)

Penetration Protection: Steel Mid Plate 15KN Penetration Resistance (As Per EN ISO 20345:2011)

Heat Resistant: Up to 120° C

Article No: 951



Product Title: Eurotek Low Ankle

Size: 39 to 47

Upper Material: 100% Genuine Buff Split Leather (Barton Print)

Lining: Sweat Absorbing Cambrelle Lining

Closure Type: Lace Up

In Socks: EVA

Sole: Polyurethane Mono Density (As Per SRA, SRB and SRC)

Toe Type: Steel Toe 200J Impact Resistance(As Per EN ISO 20345:2011)

Penetration Protection: Steel Mid Plate 15KN Penetration Resistance (As Per EN ISO 20345:2011)

Heat Resistant: Up to 120° C

Article No: 952



Product Title: Eurotek High Ankle

Size: 39 to 47

Upper Material: 100% Genuine Buff Split Leather (Barton Print)

Lining: Sweat Absorbing Cambrelle Lining

Closure Type: Lace Up

In Socks: EVA

Sole: Polyurethane Mono Density (As Per SRA, SRB and SRC)

Toe Type: Steel Toe 200J Impact Resistance(As Per EN ISO 20345:2011)

Penetration Protection: Steel Mid Plate 15KN Penetration Resistance (As Per EN ISO 20345:2011)

Heat Resistant: Up to 120° C

Article No: 1114



Product Title: William Low Ankle

Size: 39 to 47

Upper Material: 100% Genuine Buff Split Leather (Barton Print)

Lining: Sweat Absorbing Cambrelle Lining

Closure Type: Lace Up

In Socks: EVA

Sole: Polyurethane Dual Density (As Per SRA, SRB and SRC)

Toe Type: Steel Toe 200J Impact Resistance(As Per EN ISO 20345:2011)

Penetration Protection: Steel Mid Plate 15KN Penetration Resistance (As Per EN ISO 20345:2011)

Heat Resistant: Up to 120° C

Article No: 1115



Product Title: William High Ankle

Size: 39 to 47

Upper Material: 100% Genuine Buff Split Leather (Barton Print)

Lining: Sweat Absorbing Cambrelle Lining

Closure Type: Lace Up

In Socks: EVA

Sole: Polyurethane Dual Density (As Per SRA, SRB and SRC)

Toe Type: Steel Toe 200J Impact Resistance(As Per EN ISO 20345:2011)

Penetration Protection: Steel Mid Plate 15KN Penetration Resistance (As Per EN ISO 20345:2011)

Heat Resistant: Up to 120° C

Article No: 1002



Product Title: North Star Oxford

Size: 39 to 47

Upper Material: 100% Genuine Cg Leather

Lining: Skin Fit

Closure Type: Lace Up

In Socks: EVA/Molded Foam/Ortho Comfort

Sole: Polyurethane Mono Density (As Per SRA, SRB and SRC)

Toe Type: Steel Toe 200J Impact Resistance (As Per EN ISO 20345:2011)

Penetration Protection: Steel Mid Plate 15KN Penetration Resistance (As Per EN ISO 20345:2011)

Heat Resistant: Up to 120° C

Article No: 2020



Product Title: Mars Safety

Size: 39 to 47

Upper Material: Knitted Fabric

Lining: Skin Fit

Closure Type: Lace Up

In Socks: EVA/Molded Foam/Ortho Comfort

Sole: Polyurethane Mono Density (As Per SRA, SRB and SRC)

Toe Type: Steel Toe 200J Impact Resistance(As Per EN ISO 20345:2011)

Penetration Protection: Steel Mid Plate 15KN Penetration Resistance (As Per EN ISO 20345:2011)

Heat Resistant: Up to 120° C

Article No: 811



Product Title: For Her Safety

Size: 36 To 42

Upper Material: 100% Genuine Buff Split Leather (Barton Print)

Lining: Sweat Absorbing Cambrelle Lining

Closure Type: Lace Up

In Socks: EVA

Sole: Polyurethane Mono Density (As Per SRA, SRB and SRC)

Toe Type: Steel Toe 200J Impact Resistance(As Per EN ISO 20345:2011)

Penetration Protection: Steel Mid Plate 15KN Penetration Resistance (As Per EN ISO 20345:2011)

Heat Resistant: Up to 120° C

Article No: 1162



Product Title: Sterling Knight

Size: 39 to 47

Upper Material: 100% Genuine Buff Split Leather

Lining: Sweat Absorbing Cambrelle Lining

Closure Type: Lace Up

In Socks: EVA

Sole: Polyurethane Mono Density (As Per SRA, SRB and SRC)

Toe Type: Steel Toe 200J Impact Resistance(As Per EN ISO 20345:2011)

Penetration Protection: Steel Mid Plate 15KN Penetration Resistance (As Per EN ISO 20345:2011)

Heat Resistant: Up to 120° C

Article No: 1004



Product Title: Dickies Executive

Size: 39 To 47

Upper Material: 100% Genuine Leather

Lining: Cambrelle Fabric

Closure Type: Lace Up

In Socks: EVA

Sole: Polyurethane Mono Density (As Per SRA, SRB and SRC)

Toe Type: Steel Toe 200J Impact Resistance(As Per EN ISO 20345:2011)

Penetration Protection: Steel Mid Plate 15KN Penetration Resistance (As Per EN ISO 20345:2011)

Heat Resistant: Up to 120° C

Article No: 1000



Product Title: Oliver

Size: 39 To 47

Upper Material: 100% Buff Split Leather (Barton Print)

Lining: Cambrelle Fabric

Closure Type: N/A

In Socks: EVA/Molded Foam/Ortho Comfort

Sole: Polyurethane Mono Density (As Per SRA, SRB and SRC)

Toe Type: Composite/Fiber 200J Impact Resistance(As Per EN ISO 20345:2011)

Penetration Protection: Steel Mid Plate 15KN Penetration Resistance (As Per EN ISO 20345:2011)

Heat Resistant: Up to 120° C

Article No: 1152



Product Title: Hunter Rigger Boot

Size: 38 To 47

Upper Material: 100% Genuine Grain Leather

Lining: Cambrelle Fabric

Closure Type: N/A

In Socks: EVA/Molded Foam/Ortho Comfort

Sole: Polyurethane Mono Density (As Per SRA, SRB and SRC)

Toe Type: Steel Toe 200J Impact Resistance(As Per EN ISO 20345:2011)

Penetration Protection: Steel Mid Plate 15KN Penetration Resistance (As Per EN ISO 20345:2011)

Heat Resistant: Up to 120° C

ANATOMY OF A SAFETY SHOE





RNLS®

➤➤➤ — LET'S GROW TOGETHER — ➡

Plot No 350, Sector - 17, Industrial Footwear Park, HSIIDC, Bahadurgarh,
Haryana - 124507 India
www.rnssafety.com | info@rnssafety.com